

2-  
 "Wave Cyber" ( ),  
 PVC-U.  
 Filter AG),  
 ( Aquacarb 207C).  
 NEREX™



D\*F2472-M

MF -

Filter AG (Clack Corp., ), 15-20

IF -


(Fe<sup>2+</sup>, Fe<sup>3+</sup>), (Mn<sup>3+</sup>, Mn<sup>4+</sup>),  
 ( " ,  
 20 / ,

F -


NEREX™ ( Aquacarb  
 207C (Chemviron Carbon)

hello@filtros.com.ua


Filter AG

	0,38-0,42 / <sup>3</sup>	
	0,67	
( )	12-15 / (20-24 / )	
	20-40 %	

Filter AG

	0,52-0,54 / <sup>3</sup>	
	0,315-0,7	
( )	10-20 / (18-20 / )	
	30-35 %	

Aquacarb 207C

	0,45-0,55 / <sup>3</sup>	
	1,2	
( )	10-15 / (20-24 / )	
	25-30 %	

Aquacarb 207C

	( )		
	MF	IF	CF
, /	10	4	1
, /	8	8	4
, /	3	20	0,3
, /	0,3	1	0,1
, /	10	10	3

	$\frac{3}{\text{'}}$	$\frac{*}{\text{'}}$ $\frac{3}{\text{'}}$	$\text{'}$	$\text{'}$
DxF2472-M	6,4-7,6	4,8	2-5	0,5-1,5
DxF3072-M	10,0-11,9	7,4	2-5	0,5-1,5
DxF3672-M	14,5-17,0	10,8	2-5	0,5-1,5

\* ( ).

- 1				
	$\frac{3}{\text{'}}$	$\frac{2}{\text{'}}$	$\text{'}$	$\text{'}$
- Filter AG				
DMF2472-M	5,8-8,8		566	
DMF3072-M	9,0-13,8		905	
DMF3672-M	13,0-19,8		1358	
- A				
DIF2472-M	5,8-8,8		600	
DIF3072-M	9,0-13,8		960	
DIF3672-M	13,0-19,8		1320	
- Aquacard 207C				
D F2472-M	5,8-8,8		700	
D F3072-M	9,0-13,8		1100	
D F3672-M	13,0-19,8		1500	

2

10 15 / .